



**MORE SAFETY  
MORE COMFORTABLE**



**MORE SAFETY  
MORE COMFORTABLE**



**Nanhe Safety Equipment (Zhejiang)CO.,Ltd.**  
**Zhejiang Nanhe Safety Technology Co.,Ltd**

Web:[www.nanhesafety.com](http://www.nanhesafety.com)

Tel:+865708075673

Add:No.66,Yushang Road,Hangbu Town,Kecheng District, Quzhou City,Zhejiang Province

Safety mark certificate:LA-2023-2420

Email:[admin@nanhesafety.com](mailto:admin@nanhesafety.com)

Fax:+865703864604

**MORE SAFETY  
MORE COMFORTABLE**

Catalogue  
2024



# About us

## Nanhe---the guardian of breath.

Nanhe was initially engaged in providing services for infrastructure exploration security system, is one of the leading personal protective equipment (PPE) manufacturers in China, specializing in high quality respirator industrial.

Nanhe, Found in 2007 Located in Quzhou Zhejiang Province, covers an area of 40,000 m<sup>2</sup>, equipped with a automated production center.

Nanhe is a high-tech company integrating independent R&D, production, sales and core technology with original brands. we specialize in creating quality, safer and comfortable respiratory protection products.

We always prioritize brand building as our mission,

Securing a foothold in the high-end market of respiratory protection with quality materials, advanced technology, innovative ideas and supportive partners.

Nanhe people always devote themselves to improvement, integrating the awe of life into the details of every product.

After over a decade's efforts, we've realized automation in the whole production line, which boasts a monthly production capacity of more than 100,000 pieces, generating an annual output value of more than 150 million RMB. Nanhe actively respond to China's Belt and Road Initiative while going global. Serving 20 industries at home and abroad, with more than 3,000 enterprises.


We strive for the cause of human respiratory protection and health!



## Nanhe Factory



## Nanhe Exhibition







# CERTIFICATION



The brand of SOUTH NUCLEAR is for China Market of Nanhe, all the quality certification is based on Nanhe



## ► Quality Certification, CE LA ISO



## ► Design Patent



# Contents

## Reusable Respirator 01-14

- For particle and gas
- Half-Dust facepiece
- Half-single Cartridge
- Half-Dual cartridge
- Full Face Respirator

## Disposable Mask 15-22

- Folded dust mask
- Organic vapor odor and particle respirator
- Cup shaped dust mask












# Reusable Respirator




## for particle and gas

Please check oxygen concentration and concentration of contaminants when you select the respiratory protective devices depend on contaminated condition of working environment air.

### Reusable Mask Solution

<p>CE LA Approve</p>  <p><b>2828</b> Silicon Material with larger Size</p>	<p>LA Approve</p>  <p><b>2728</b> Silicon material with Smaller Size</p>	<p>LA Approve</p>  <p><b>2728+</b> TPE material with Smaller size</p>		
 <p><b>2838</b> Pre-filter holder EN 143:2000</p>	+	 <p><b>2602</b> Pre-filter cotton</p>		
 <p><b>2803</b> Organic and vapor cartridge EN 14387:2004+A1:2008</p>	+	 <p><b>9108</b> Pre-filter cover</p>	+	 <p><b>9105</b> Pre-filter</p>

<p>CE</p>  <p><b>8809</b> Silicon Dual half mask</p>	<p>LA</p>  <p><b>8809+</b> TPE Dual half mask</p>	<p>LA ANSI</p>  <p><b>9006</b> Silicon Dual full mask</p>	<p>CE ANSI</p>  <p><b>9006+</b> PC material</p>
---	--	--	--

 <p><b>9013</b> Organic and vapor cartridge EN 14387:2004+A1:2008</p>	+	 <p><b>9108</b> Pre-filter cover</p>	+	 <p><b>9101</b> Pre-filter</p>
--	---	---	---	---









**8002**  
Oil based & Non oil based Particulate filter




Toxic vapors   Mist   Organic Vapors

### Advantage

 3D structure	 Low breath resistant
 breathing valve protected	 one piece
 replaceable filter cotton	 perfect seal

### Application



Oil&Gas   Shipbuilding   Mining   Chemical   Energy   Painting   Machinery   Welding   Construction   Pharmaceutical



# Reusable Respirator

## Half-Dust facepiece

### 2818

2828 body with particles cotton filter holder

- Good quality silicon body, with light weight holder, cool comfort.
- Application for Mining shipbuilding construction welding...

### Particles



filter holder

anti-static filter cotton

2828 silicon respirator

### 2718+

Economic PET body, smaller size



### 2718

Comfort silicon body, smaller size



### 2728+ | PET smaller size Light weight Single-Cartridge Respirator in one piece (Cartridge not included)

- 1. TPE material, lightweight, smaller size, good for equip with helmet, economical protection
- 2. Patented buckle, easy to assemble
- 3. 2-point-support, single strap head band with adjuster, quick fastener.
- 4. Bottom exhalation valves design, good for sweat flow out.
- 5. Comply with GB 2890-2022, GB 2626-2019, LA certification



### 2728 | Comfort Silicone smaller size Single-Cartridge Respirator in one piece (No Cartridge Included)

- 1. Good quality silicone material, smaller size, good for equip with helmet, good sealing, oil resistance, good face seal
- 2. Patented buckle, easy to assemble
- 3. 2-point-support, single strap head band with adjuster, quick fastener.
- 4. Bottom exhalation valves design, good for sweat flow out and easy to clean.
- 5. Comply with GB 2890-2022, GB 2626-2019, LA certification.



### 2828 | Comfort Silicone Single-Cartridge Respirator in one piece (No Cartridge Included)

- 1. Good quality silicone material with larger size, good sealing, oil resistance, good face seal
- 2. Patented buckle, easy to assemble
- 3. 2-point-support, single strap head band with adjuster, quick fastener.
- 4. Bottom exhalation valves design, good for sweat flow out and easy to clean.
- 5. Comply with EN140:1998- (BSI Certificate: CE 727082).

### 2838 Filter Cotton Holder For 2828, 2728, and 2728+



- Can be connected with respirator 2728 and 2828, and used with filter cotton 2601A, 2601, 2602, and 2600.
- Louvered air window design with built-in dot-shaped support greatly improves air circulation and reduces resistance.
- Fix point design for filter cotton easy to install
- Comply with EN143:2000+A1:2006- (BSI Certificate: CE 727079).

### Filter Cotton Applicable to 2718+, 2718, 2818



#### 2601A KN90 Filter Cotton (Economical Type)

- Effective filter for non-oil particulate.
- Provide protection against coal dust, silicon dust, cement dust, foundry dust, ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 90% comply with GB 2626-2019 KN90 standard.
- Packing method: 1000 pieces/box (20 pieces x 50 bags)



#### 2601 KN90 Filter Cotton (Long-lasting Type)

- KN90 Filter Cotton for non-oil particles 4-play PM2.5 dust filter cotton, low breathing resistance
- Outer layer: water resistance, Double meltblown layer, better particles filtering. Inner layer: sweet absorbing
- 90% bacterial filtration efficiency, comply with GB 2626-2019 KN95 standard,



#### 2602 KN95 Filter Cotton

- FFP2 (KN95) Filter Cotton for non-oil particles
- 5-play PM2.5 dust filter cotton, low breathing resistance
- Outer layer: water resistance, 3 layer meltblown, better particles filtering. Inner layer: sweet absorbing
- 95% bacterial filtration efficiency, comply with GB 2626-2019 KN95 standard, Comply with EN143:2000+A1:2006- (BSI Certificate: CE 727079).



#### 2600 KP95 Paint Fog and smoke Carbon Fiber Filter Cotton

- Efficient protection of organic vapor odor and dust can protect oily particles.
- It is suitable for breathing protection during welding, casting and grinding in shipbuilding metal manufacturing, metal smelting and other industries.
- Filtration efficiency of more than 95%, in line with GB 2626-2019 KP95 standard.
- Packing method: 1000 pieces/box (20 pieces x 50 bags)



## 818KY

Low-resistance High-efficiency silicone dust-proof half face respirator for Mining and Metallurgy



- Good quality silicone material, Soft, comfortable and great sealing performance.
- Patented buckle, easy to assemble.
- Unique positioning feature that facilitates the one-step installation of filter cotton.
- Comply with GB 2626-2019, LA certification.

## 1118

KN95 Filter cotton for 818KY



- Effective filter for non-oil particulate.
- Provide protection against coal dust, silicon dust, cement dust, foundry dust ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 95%, comply with GB2626-2019 KN95 standard.
- Packing method: 800 pieces/box (25 pieces x 32 bags).

## 6008

Comfort silicone dust-proof half face respirator



- Good quality silicone material, Soft, comfortable and great sealing performance.
- Patented buckle, easy to assemble.
- Unique positioning feature that facilitates the one-step installation of filter cotton.
- Comply with GB 2626-2019, LA certification.

## 6002

KN95 Filter cotton for 6008



- Effective filter for non-oil particulate.
- Provide protection against coal dust, silicon dust, cement dust, foundry dust ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 95%, comply with GB2626-2019 KN95 standard.
- Packing method: 1000 pieces/box (20 pieces x 50 bags).

## 7008

Big size Comfort silicone dust-proof half face respirator



- Good quality silicone material, Soft, comfortable and great sealing performance.
- Patented buckle, easy to assemble.
- Unique positioning feature that facilitates the one-step installation of filter cotton.
- Comply with GB 2626-2019, LA certification.

## 7001

KN95 Filter cotton for 7008




- Effective filter for non-oil particulate.
- Provide protection against coal dust, silicon dust, cement dust, foundry dust ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 95%, comply with GB2626-2019 KN95 standard.
- Packing method: 1000 pieces/box (20 pieces x 50 bags).

# Single-Cartridge HALF Mask

## 2899

set with protect against Gas and dust

- single cartridge light weight silicon respirator
- Low breath resistant high efficiency, cool comfort
- Applied to organic vapor protection, especially spray paint and engine exhaust protection



## 2799+

Economic PET body



2728+ & Accessories

## 2799

Silicon body with smaller size



2728 & Accessories

## 2899

Silicon body with large size



2828 & Accessories



## Respirator Cartridge

Available for 2728+, 2728, 2828

### 2803 A1 Long Acting Organic Gas and Vapor Cartridge

CE



- Protect against organic gases or vapors, such as benzene and its congeners, anilines, gasoline, international brown label.
- Imported good quality coconut shell activated carbon for long-lasting effect.
- Comply with EN14387:2004+A1:2008 (BSI Certificate: CE 727074).

### 2804 K1 Long Lasting Ammonia and Organic Derivatives of Ammonia Cartridge



- Protect against ammonia and organic derivatives of ammonia, such as ammonia, methylamine, and other alkaline gases.
- International standard: Green label
- Use imported coconut shell activated carbon for long-lasting
- Comply with GB 2890-2022 standard, China LA certification

### 2807 E1 Long Lasting Sulfur Dioxide Acid Gas and Acid Vapor Cartridge

CE



- Protect against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, hydrogen chloride, phosphorus and chlorine-containing organic pesticides, and other acidic gases.
- Use yellow label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with EN14387:2004+A1:2008 (BSI Certificate: CE 727075).

### 2811 B1 Long Lasting Inorganic Gas and Vapor Cartridge.



- Protection object: Used to protect inorganic gases or vapors, such as hydrocyanic acid, chlorine gas, hydrogenarsenide, phosgene, biphosgene, bitter chloride, benzene, bromomethane, Louis gas, mustard gas.
- Use gray label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard.

### 2837 A1 E1 Multi-Function Mixed Gases Organic Gas Sulfur Dioxide Acidic Gas Cartridge



- Protection against organic gases or vapors, such as benzene and its homologues, ketones, alcohols, ethers, aldehydes, alkanescarbon tetrachloride, chloropyros, etc.
- Protection against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, hydrogen chloride, phosphorus and chlorine-containing organic pesticides.
- Use dual color label strips of brown and yellow that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard.

#### 9105A Round Primary Filter Cotton Used on Cartridge for 2828, 2728, and 2728+

- KN90 Economic filter cotton

#### 9105 Round Primary Filter Cotton Used on Cartridge for 2828, 2728, and 2728+

- KN95 filter cotton

#### 9108 Filter Retainer


- 1. Good Quality plastic material, anti oil, high heat resistant
- 2. Connected with cartridge

# Dual-Cartridge HALF Facepieces

**8889+**

set with protected against gas and dust

- Good quality TPE material body, light weight, economic protection
- Dual cartridge, Good sealing, oil resistance, breath freely, cool comfort
- Applied to organic vapor protection, painting, welding, Mining, Energy, engine exhaust protection etc



8809 & 9020



8809 & 9013



8809 & 8001



8809+8002






# Full Face Respirator

## 9096+

set with 9006+ & P-A-1 cartridge with filter cotton

- Reusable Respirator full Face Gas Cover
- Organic Vapor Mask and Anti-fog
- For Painting, mechanical polishing, logging, welding, Against Dust, Staining, Sanding & Cutting
- Durable, and easy to use solution in a variety of environments and applications



9006 & 9017



9006+ & 9013



9006 & 8001



9006+ & 8002



## 8809+

Dual-Cartridge Respirator (No Cartridge Included)



- TPE material, lightweight, economical protection
- Patented buckle, easy to assemble
- 2-point support, single strap head band with adjuster, quick fastener
- Two exhalation valves design, reduce breathing resistance
- Comply with GB 2890-2022, GB 2626-2019, LA certification

## 8809

Comfort Low-Resistance Dual-Cartridge Respirator (No Cartridge Included)



- Good quality silicone material, good sealing, oil resistance, good face seal
- Buckle design, easy and quick to replace accessories
- Dual suction valves to reduce breathing resistance
- 2-point support, single strap head band with adjuster, quick fastener
- Comply with EN 140:1998- (BSI Certificate: CE 727083)

## 9006+

Lightweight PC Comfort Full Face Respirator



- One-piece cover, Good quality PC material, excellent transparency, Anti fog, Anti impact.
- Scratch resistant eyepiece design. (Gap)
- Patented buckle design, easy and quick replacement
- Speech Diaphragm design to keep communicate easy
- five-point headband to keep stable
- Durable, and easy to use solution in a variety of environments and applications
- CE Schedule. GB2026-2019 LA ANSI.Z87 approval.

## 9006

Large lens Silicon cool comfort full Face Respirator



- One-piece cover, Wide field of view and excellent visibility, Anti-fog coating, quality Silicone Face Seal Comfortable Fit, Anti high impact, Eye Protection.
- Scratch resistant eyepiece design. (Gap)
- Patented buckle design, easy and quick replacement
- Speech Diaphragm design to keep communicate easy
- five-point headband to keep stable
- International connector, can connect with breathing apparatus
- CE Schedule. ANSI.Z87 LA approval

## 9116

Replaceable Lens Cover



1. It protect and extend the useful life of the respirator. Prevent it from scratching and protects from minor
2. Sticks easily and correct fit.
3. Design for 9006 full face respirator



## Respirator Cartridge

Be Suitable for 8809+,8809,9006+,9006

### 9013 A1 Organic Gas and Vapor Cartridge (Dual-Cartridge Connector)



- Protect against organic gases or vapors,(boiling point  $\geq 65^{\circ}\text{C}$ ) such as benzene and its homologues,
- Use brown label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with EN14387:2004+A1:2008 (BSI Certificate: CE 727076).

### 9014 K1 Ammonia and Organic Derivatives Of Ammonia Cartridge (Dual-Cartridge Connector)

- Protect against ammonia and its organic derivatives, such as ammonia, methylamine, and other alkaline gases
- Use green label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard, obtained China LA certification



### 9017 E1 Sulfur Dioxide Acid Gas and Vapor Cartridge (Dual-Cartridge Connector)



- Protect against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, and other acidic gases.
- international standard--yellow label
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with EN14387:2004+A1:2008 (BSI Certificate: CE 727078).

### 9021 B1 Inorganic Gas and Vapor Cartridge (Dual-Cartridge Connector)

- Protect against inorganic gases or vapors, such as hydrocyanic acid, chlorine, arsine, phosgene, diphosgene, chloropicrin, benzene, methyl bromide, Lewis gas, and mustard gas.
- Use gray label strips that are compliant with the international standard
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard.



### 9018 H2S1 Hydrogen Sulfide Cartridge (Dual-Cartridge Connector)



- Protect against hydrogen sulfide.
- Use blue label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard.

### 9037 A1 E1 Multi-Function Mixed Gases Organic Gas Sulfur Dioxide and Acidic Gas Cartridge (Dual-Cartridge Connector)

- Protection against organic gases or vapors, such as benzene and its homologues, ketones, alcohols, ethers, aldehydes, alkanes, carbontetrachloride chloropyros, etc
- Protection against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, hydrogen chloride, phosphorus and chlorine-containing organic pesticides
- Use dual color label strips of brown and yellow that are compliant with the international standard
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard, obtained China LA certification



### 9020 A1 B1 E1 K1 Multi-Function Mixed Gases Cartridge (Dual-Cartridge Connector)



Packing:  
108 PCS/box, bag + medium  
box(6PCS/medium box)

- Protection against organic gases or vapors, such as benzene and its homologues, ketones, alcohols, ethers, aldehydes, alkanes, carbon tetrachloride, chloropicrin, etc.
- Protection against inorganic gases or vapors, such as hydrocyanic acid, chlorine, arsine, phosgene, chloropicrin, benzene, Lewis gas, mustard gas, etc.
- Protection against sulfur dioxide and other acidic gases or vapors. such as sulfur dioxide, hydrogen chloride, phosphorus and chlorine-containing organic pesticides.
- Protect ammonia and its organic derivatives, such as ammonia, methylamine, etc.
- Use mixed four-color label strips of brown, yellow, green and gray that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect. Comply with GB 2890-2022 standard.

### 9013 A1 Organic Gas and Vapor Cartridge (Dual-Cartridge Connector)

- Protect against organic gases or vapors,(boiling point  $> 65^{\circ}\text{C}$ ) such as benzene and its homologues,
- Use brown label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- comply with GB 2890-2022 standard, obtained China LA certification.



### 9020 A1 B1 E1 K1 Multi-Function Mixed Gases Cartridge (Dual-Cartridge Connector)



- Protection against organic gases or vapors, such as benzene and its homologues, ketones, alcohols, ethers, aldehydes, alkanes, carbon tetrachloride, chloropicrin, etc.
- Protection against inorganic gases or vapors, such as hydrocyanic acid, chlorine, arsine, phosgene, chloropicrin, benzene, Lewis gas, mustard gas, etc.
- Protection against sulfur dioxide and other acidic gases or vapors. such as sulfur dioxide, hydrogen chloride, phosphorus and chlorine-containing organic pesticides.
- Protect ammonia and its organic derivatives, such as ammonia, methylamine, etc.
- Use mixed four-color label strips of brown, yellow, green and gray that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect. Comply with GB 2890-2022 standard.

### 9037 A1 E1 Multi-Function Mixed Gases Organic Gas Sulfur Dioxide and Acidic Gas Cartridge (Dual-Cartridge Connector)

- Protection against organic gases or vapors, such as benzene and its homologues, ketones, alcohols, ethers, aldehydes, alkanes, carbontetrachloride chloropyros, etc
- Protection against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, hydrogen chloride, phosphorus and chlorine-containing organic pesticides
- Use dual color label strips of brown and yellow that are compliant with the international standard
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard, obtained China LA certification



### 8003 Dual Particulate Filter suit for 8809,8809+,9006,9006+



- Effective filter for non-oil particulate.
- Provide protection against coal dust, silicon dust, cement dust, foundry dust, ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 99.97%, comply with GB2626-2019 KN100 standard.



## 8004 Dual Particulate Filter suit for 8809,8809+,9006,9006+

- Effective filter for oil and non-oil particulate.
- Provide protection against coal dust, silicon dust, cement dust, foundry dust ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 99.97%, comply with GB2626-2019 KP100 standard.



### 9008s Filter cotton Holder For 9006

- Can be connected with respirator 9006, and used with filter cotton 9000,9001 and 9002
- Unique design, large-flow folding air window, lightweight and durable, easy and quick to replace filter cotton



### 9000,KN90 Round Primary Filter cotton

- Can be used with 9008S, Suit for 9006 respirator
- Effectively filter paint mist particulate generated by various painting projects.
- Filtration efficiency of more than 90%, comply with GB2626-2019 KN90 standard.
- Packing method:1000 pieces/box(20pieces x50 bags)



### 9001,KN95 Round Primary Filter cotton

- Can be used with 9008S, Suit for 9006 respirator
- Effectively filter paint mist particulate generated by various painting projects.
- Filtration efficiency of more than 95%, comply with GB2626-2019 KN95 standard.
- Packing method:1000 pieces/box(20pieces x50 bags)



### 9002,Organic odor KN95 Round Primary Filter cotton

- Can be used with 9008S, Suit for 9006 respirator
- Effective filter for non-oil particulate and organic odor
- Filtration efficiency of more than 95%, comply with GB2626-2019 KN95 standard.
- Packing method:1000 pieces/box(20pieces x50 bags)

## Warming Tip

Please replace the filter cotton and filter cartridge in time.

### For filter cartridge replacement

1. Please establish a chemical filter cartridge replacement schedule based on the concentration at the work site,
2. Replace it regularly according to the replacement schedule.
3. At any time, if you have smelled or tasted harmful substances or felt irritation from pollutants, please immediately leave the work environment and go to a safe place to replace the filter cartridge.

### For Particle filter cotton replacement

1. Whenever the anti particle filter cotton is dirty, damaged, or you feel a significant increase in respiratory resistance, please replace it immediately.

## 9108 Filter Retainer



- Made of high-strength engineering plastics, high temperature resistance, oil resistance, can be used with respirator 2728,2728+,2828,8809,8809+,and 9006+ for cartridges.
- Packing method:400 PCS/box(10 PCS/bag x40 bags)

## 9100 KN90 Round Primary Filter Cotton



- Can be used with cartridge for respirator 27282728+,2828,8809,8809+,and 9006+.
- Effectively filter paint mist particulate generated by various painting projects.
- Filtration efficiency of more than 90%, comply with GB2890-2022 KN90 standard.
- Packing method:1000 pieces/box (20pieces x50 bags)

## 9101 KN95 Round Primary Filter Cotton




- Can be used with cartridge for respirator 27282728+,2828,8809,8809+,and 9006+.
- Effectively filter paint mist particulate generated by various painting projects.
- Filtration efficiency of more than 95%, comply with GB2890-2022 KN95 standard.
- Packing method:1000 pieces/box(20pieces x50 bags)

## 8001 KN100 Non-Oil Based Particulate Filter Cotton for 8809,8809+,and9006+



- Can effectively filter non-oil particulate.
- Provide protection against coal dust, silicon dust, cement dust, foundry dust, ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 99.97%, comply with GB2626-2019 KN100 standard.
- Packing method: 240 pieces/box,40pieces/box,2 pieces/bag

## 8002 KP100 Oil Based Particulate and Non-Oil Based Particulate Filter Cotton for 8809,8809+,and 9006+



- Can effectively filter various oil and non-oil particulates.
- Provide protection during welding, casting and grinding projects in shipbuilding, metal fabrication, smelting, and related industries.
- Filtration efficiency of more than 99.97%.
- On CE Schedule.



# Disposable Mask

- Face mask is designed to provide quality,
- reliable and comfortable respiratory protection against dust and odor.

## Dust mask selection tips

This product is used for the protection of certain types of particulate. Such as suitable for the respiratory protection against smog, PM2.5, viral microorganisms and dust .

### Advantage



3D structure



Low breath resistant



Activated carbon



KN95 FFP2



Skin friendly



Quality

## Wear instruction



Hold the mask in one hand with the tip of your nose at your fingertips and let the headband hang underneath your hand.



Hold the mask up against your chin and cover your nose.



Fix the position of the mask with your hands, place the upper headband above the ears and higher on the back of the head, and place the lower headband below the ears.



Place the fingers of both hands in the middle of the metal nose clip, while pressing inwards, move your fingertips to both sides along the nose clip until the nose clip is completely pressed into the shape of the bridge of the nose.

## China /USA /Europe approval standard

### CLASSIFY THE PARTICLE MASK ACCORDING TO CHINA GB 2626-2019 STANDARD:

Classify	Filtration efficiency≥90%	Filtration efficiency≥95%	Filtration efficiency≥99.97%
KN	KN90	KN95	KN100
KP	KP90	KP95	KP100

KN: Apply to filter non-oily particles ;

KP:Apply to filter non oil and oily particles;

Non oily particles: solid,non oily liquid particles and vicroorganism, for example, coal dust,acid,paint mist cement dust and so on;

Oily particle:the particle in lampblack,oil mist,asphalt smoke,coke oven smoke,diesel exhaust and so on.

### CLASSIFY THE PARTICLE PROTECTIVE MASK ACCORDING TO USA NIOSH STANDARD:

Classify	Filtration efficiency≥95%	Filtration efficiency≥99%	Filtration efficiency≥99.97%
N	N95	N99	N100
R	R95	R99	R100
P	P95	P99	P100

N:Non-oil, apply to filter non-oily particles;

R: Oil Resistance, apply to filter oily and non oily particles,but do not excess 8 hours when use oily particles;

P: Oil protective, apply to filter oily and non oily particles,for oily particles,the use time to refer to themanufacturer's suggestion.NANHE suggests that do not excess 40hours or 30days.

### CLASSIFY THE PARTICLE PROTECTIVE MASK ACCORDING TO EUROPE EN STANDARD:

Classify	FFP1	FFP2	FFP3
Filtration efficiency	≥80%	>94%	≥99%



# Disposable Mask

-folded dusk mask



- Foldable,Lightweight ,good comfort

- Head strap- suitable for long time work

- Adjustable Noseclip for possible to fit the shape of nose


**Comply with LA GB2626-2019KP95  
LA-2023-2420 KN95**

Comply with EN149:2001+A1:2009  
(BSI Certificcate:CE 727067 FFP2)



Exhalation valve,comfortable to reduce hot air or stuffiness

**5ply structure  
provide reliadble  
safety**



**Model:** 1003

**Material:** 5-Ply

**Type:** Ear Loop,Foldable

**Certification:** KN95 LA



**Model:** 1004

**Material:** 5-Ply

**Type:** Head strap,Foldable

**Certification:** KN95 LAand CE



**Model:** 1203


**Material:** 5-Ply

**Type:** Ear Loop,Foldable

**Certification:** KN95 LA

# Disposable Mask

-organic vapor odor and particle respirator



Model: 1208

### High efficiency BMF, low breathing resistance

- Helps provide comfortable and convenient respiratory protection

### Collapse resistant cup shape design

- Fits a wide range of face shapes and sizes

### High efficiency activated carbon fiber cloth

- Activated carbon layer, nuisance level organic vapor relief

### Cushioning nose foam

- light weight construction for comfortable wear
- Adjustable nose clip that helps provide a custom fit and secure seal

### Cool Flow Exhalation Valve

- Enhanced comfort by reducing heat and moisture
- Easier breathing with good seal

### Welded, Knitted Headbands


- Helps provide a secure seal
- The soft inner material and welded knitted headbands provide added comfort

ISO9001:2015, ISO14001:2015, ISO 45001:2018

GB2626-2019 KP95 LA-2023-2420



6ply structure provide reliable safety



**Model:** 1007

**Material:** 6-Ply

**Type:** Ear Loop, Foldable

**Certification:** KP95 LA



**Model:** 1008

**Material:** 6-Ply

**Type:** Head strap, Foldable

**Certification:** KP95 LA



**Model:** 1207

**Material:** 6-Ply

**Type:** Ear Loop, Foldable

**Certification:** KP95 LA



# Disposable Mask

## -Cup shaped dust mask



Model:11208

ISO9001:2015, ISO14001:2015, ISO 45001:2018

GB2626-2019KP95 LA-2023-2420



Low breath resistant, good comfort



High efficiency Activated Carbon Fiber Cloth High carbon tetrachloride adsorption value for coconut shell activated carbon, better adsorption

### High efficiency BMF, low breathing resistance

- Helps provide comfortable and convenient respiratory protection

### Collapse resistant cup shape design

- Fits a wide range of face shapes and sizes

### High efficiency electrostatic cotton

- Advanced Electrostatic Media, filters dust and other particles, while allowing for easy breathing, longer service life

### Aluminum nose strip with cushioning nose foam

- Light weight construction for comfortable wear
- Adjustable Noseclip that helps provide a custom fit and secure seal

### Cool Flow Exhalation Valve


- Enhanced comfort by reducing heat and moisture
- Easier breathing with good seal

### Welded, Knitted Headbands

- Two-strap design with welded dual point attachment helps provide a secure seal
- The soft inner material and welded knitted headbands provide added comfort



4ply structure provide reliable safety



Model: 11004

Material: 5-Ply

Type: Head strap, cup shaped

Certification: KN95 LA



Model: 11008

Material: 6-Ply

Type: Head strap, cup shaped

Certification: KP95 LA



Model: 11204

Material: 5-Ply

Type: Head strap, cup shaped

Certification: KN95 LA